


MONUMENT RECORD

Corner ID: **InCr_Q09**

Section Corner


Sections 10, 11, 14, & 15- T07N-R02W, 2nd P.M.
Indian Creek Township, Monroe County, Indiana



MONUMENT: Describe monument set or found (Include material type, scribing, distance above/below grade, dimensions.)

Found 8" X 5" Sandstone firmly in ground 0.3' above grade. Stone has spine that stretches north to south.

MONUMENT LOCATION SKETCH:



WITNESS MONUMENT TIES

All ties to new Bearing Trees (BTs) are a mag nail set in a 1-1/2" plastic washer stamped "SURVEY MARKER - DO NOT REMOVE" and hack mark at the root crown (less than 12" above ground) perpendicular to the center of the tree, unless otherwise noted. BT diameters are noted as dbh and are measured approximately 4.5' above ground. Bearings are measured from the monument to the center of the BT, distances are measured from the monument to the mag nail.

ID	BEARING	DISTANCE	DESCRIPTION
Witness A	S 0d E	0.8'	PK nail found 0.6' above grade on the west side of a leaning 5" wooden corner post as per 1984 monument record.
Witness B	N 28d E	21.7'	Mag nail and washer set 0.2' above grade on the east side of the mailbox at 8088 S Harmony Rd.
Witness C	S 62d E	37.2'	Wooden pillar on the northwest side of the porch at 8088 S Harmony Rd.
(#103000)	N 43d E	15.5'	Irregular shaped limestone flush and firm in ground 1.7' x 0.4'. Coordinates gathered at center of stone.



OFFICE OF THE MONROE COUNTY SURVEYOR • Trohn Enright-Randolph

119 W 7th Street, Bloomington, IN 47404 • 812-349-2570 • surveyorsoffice@co.monroe.in.us

Page 1 of 3

MONUMENT RECORD

Corner ID: InCr_Q09

Section Corner

Sections 10, 11, 14, & 15- T07N-R02W, 2nd P.M.
Indian Creek Township, Monroe County, Indiana




PHOTO IDENTIFIED: Photo Date: 06/10/2022



Photo Orientation & Description: InCr_Q09 from above



Photo Orientation & Description: InCr_Q09 from north

ORIGINAL OR SUBSEQUENT SURVEY EVIDENCE FOUND: *Include, search area or areas, search procedure, etc.*

Date of Field work/Search: 06/04/2020, 06/16/2020, 05/16/2022 & 06/10/2022 By: CAR, TER, JG, HJ Monument Found: Stone BTs or Reference Objects Found: Found mag nail in 5" fence post. Witness A herein. Found PK nail in powerline pole. The shagbark hickory tree was gone. Found "Protect Nearby Survey Markers" sign. Project #: Stones2020 & Van Buren Preservation Project Field Book: 54/6, 7 Equipment: Coordinate data was collected with a Javad Triumph LS Network Rover. The basis of bearings is Grid North NAD83(2011), Indiana West Zone, Epoch 2010.0000, Geoid Model G2012BU7, Datum NAD83_NO_TRANS, US Survey Feet, derived from GPS observations utilizing the Indiana Real-Time Network (INCORS). Distances obtained with GPS have not been adjusted to ground. Coordinates are available upon request. Notes: Returned for a second time to add the second "Protect Nearby Survey Marker" sign across the street on Rockport Rd.

OTHER EVIDENCE: *Describe corner location relative to nearby features and how to reach the corner location – note fences, roads, timber cutting lines, mow lines, clearings, plantings, streams, topo changes, etc.*

The monument is at the north end of a line of shrubbery between 8080 & 8088 S. Harmony Rd. Its proximity to Witness A is the best means of locating the monument. Sign set in 2011 field inspection was still attached but covered by vegetation.

MONUMENT PRESERVATION: *Describe work done to preserve existing monument.*

A new sign was set on the north side of S Harmony Rd. Geodetic controls were captured for the monument and Witness (#103000). Three new witnesses were established. Shrubby around stone was cleared and monument was painted orange after testing it's acidity. Witness (#103000) was painted pink.

THEORY OF LOCATION: *Describe the theory of location for acceptance of this monument. Include monument origin and associated uncertainty.*

The stone was previously witnessed by the Monroe County Surveyor, Edmund O. Farkas, on May 18, 1984.

References on File: Douglas R. Curry survey, Survey for Bolin 17.84 Acres & 11.67 Acres (2005), on file at the Recorder's Office as 2005005710.IN and a Bernard Guerrettaz survey, Davis Parcels 1 & 2 Rockport Rd (2008), on file at the Recorder's Office as 2021016307.IN. It is believed the Guerrettaz survey contains a scrivener's error wherein InCr_Q09 is identified as the "NW CORNER NE SEC." However, other information from this survey; street placement, building dimensions and distance and bearings from InCr_R09, leaves little doubt that Mr. Guerrettaz was referring to the NW CORNER NW SEC.

And finally a survey by Andrew E. Wilken, Monroe Fire Protection District Type "E" Administrative Subdivision (2019), where he states: "This stone is believed to have been set in a survey by Quincy Short dated April 18th-20th, 1904 as found in Legal Survey Book 3, pages 1 and 2." Mr. Wilken's survey is on file at the Recorder's Office as 2019009100.IN.

Historic research has not yet been performed to prove the validity of this monument.



OFFICE OF THE MONROE COUNTY SURVEYOR • Trohn Enright-Randolph


119 W 7th Street, Bloomington, IN 47404 • 812-349-2570 • surveyoroffice@co.monroe.in.us

MONUMENT RECORD

Corner ID: **InCr_Q09**

Section Corner

Sections 10, 11, 14, & 15- T07N-R02W, 2nd P.M.
Indian Creek Township, Monroe County, Indiana



CERTIFICATION:



Donna Baird

Date: 03/19/2024

Accepted by the Monroe County Survey
Review Board



Trohn Enright-Randolph

Date: 03/19/2024

Trohn Enright-Randolph
Monroe County Surveyor



MONUMENT RECORD


STATE OF INDIANA - COUNTY OF MONROE

SECTION 15, TOWNSHIP 7 NORTH, RANGE 2 WEST

MONUMENT DESCRIPTION & REMARKS

FOUND STONE AT THE NORTHEAST CORNER OF SEC - 15 NO "X" CHISLED
 IN STONE, STONE IS SOLID IN GROUND 0.60' LONG X 0.40' WIDE X
 0.30' HIGH STONE IS MARKED BY A 5" FENCE POST (NO FENCE)

RECOVERY TIE DRAWING



STATE OF INDIANA
 COUNTY OF MONROE

I, EDMUND O FARKAS HEREBY CERTIFY THAT THIS
 DOCUMENT WAS PREPARED UNDER MY DIRECTION IN ACCORDANCE
 WITH THE PROVISIONS OF SECTION 17-3-64-4 - 17-3-64-8 OF
 THE INDIANA CODE, BEING ACTS OF 1965, CHAPTER 319; AND
 THE ABOVE DATA IS GIVEN UNDER MY HAND AND SEAL
 THIS 18 TH DAY OF MAY, 1984 A.D.

SPACE
 RESERVED
 FOR
 RECORDING
 OFFICER.

INDIANA REGISTERED LAND SURVEYOR NO. _____

OR _____

UNITED STATES GOVERNMENT AGENCY

TOWNSHIP:
INDIAN
CREEK
 CORNER I.D.

TITLE